























Y2 ARCHITECTURE		CALIFORNIA GULLY UPGRADE & MODERNISATION WORKS PROJECT NO: 2119 BAL 29 FIRE RATING	OR APPROVED EQUIVALENT		2.7 MATERIALS & COLOUR SCHEDULE INTERIOR & EXTERIOR ISSUE : PRELIMINARY P		
ITEM	CODE	DESIGN CODE / COLOUR	DISTRIBUTOR / MANUFACTURER	IMAGE	INDICATIVE LOCATION	FIRE GRP	REV
ABS EDGING	ABS1	ABS EDGING DUROPAL BTC - BIRCHWOOD PLY 1mm x 23mm	BENCHTOP CITY		JOINERY AS CODED.		
ACOUSTIC TILE	ACT1	HIMMEL TROLDTEK CEMENT BONDED WOOD WOOL PANELS ULTRAFINE NATURAL 1200 X 600 X 25MM EDGE: K5 (5MM BEVEL) COLOUR: WHITE 101 FIXING: EXPOSED MECHANICAL FIXING, MATCHING POWDERCOATED GALV SCREWS, INCLUDED, 6 PER PANEL LEAD TIME: STOCKED RONDO FURRING CHANNELS: DOUBLE SYSTEM AS DETAILED NRC: .70 WITH 150MM AIRSPACE BEHIND NCC FIRE GROUP: GRP1	CSR HIMMEL glindsay@csr.com. au 0428 212 506	 White 101 Stocked Product	AS CODED ON REFLECTED CEILING PLAN	FIRE GROUP 1	
ACOUSTIC BAFFLING	AB1	MARTINI DECO FELT VERTO SYSTEM COLOUR: PLATINUM DESIGN: WEDGE THICKNESS: 27MM LENGTHS: 300MM H X 2400MM L COMPLIES WITH AS 5637.1 NRC: 0.90 15 YEAR WARRANTY	CSR MARTINI		AS CODED ON REFLECTED CEILING PLAN		






Y2 ARCHITECTURE		CALIFORNIA GULLY UPGRADE & MODERNISATION WORKS PROJECT NO: 2119 BAL 29 FIRE RATING	OR APPROVED EQUIVALENT		2.7 MATERIALS & COLOUR SCHEDULE INTERIOR & EXTERIOR ISSUE : PRELIMINARY P		
ITEM	CODE	DESIGN CODE / COLOUR	DISTRIBUTOR / MANUFACTURER	IMAGE	INDICATIVE LOCATION	FIRE GRP	REV
	AB2	MARTINI DECO FELT VERTO SYSTEM COLOUR: ICE DESIGN: WEDGE THICKNESS: 27MM LENGTHS: 300MM H X 2400MM L COMPLIES WITH AS 5637.1 NRC: 0.90 15 YEAR WARRANTY	CSR MARTINI		AS CODED ON REFLECTED CEILING PLAN		
	AB3	MARTINI DECO FELT VERTO SYSTEM COLOUR: GRANITE DESIGN: WEDGE THICKNESS: 27MM LENGTHS: 300MM H X 2400MM L COMPLIES WITH AS 5637.1 NRC: 0.90 15 YEAR WARRANTY	CSR MARTINI		AS CODED ON REFLECTED CEILING PLAN		
	AB4	MARTINI DECO FELT VERTO SYSTEM COLOUR: MOSS DESIGN: WEDGE THICKNESS: 27MM LENGTHS: 300MM H X 2400MM L COMPLIES WITH AS 5637.1 NRC: 0.90 15 YEAR WARRANTY	CSR MARTINI		AS CODED ON REFLECTED CEILING PLAN		
ALUMINIUM PANELS PERFORATED	ALP1	LOCKERGROUP STANDARD PERFORATED PATTERNS (A5) ALUMINIUM CODE: S08053 SHEET SIZE: 2400 X 1200 X 3MM PERF DIAM: 8MM CENTRES: 11MM OPEN AREA: 48% FINISH: POWDERCOATED ALUMINIUM [PC2] CUT FROM STANDARD SHEET, REFER TO DETAILS	LOCKERGROUP TOM TURCIC 0427 535 030 tom.turcic@valmon t.com		EXTERNAL PANELS AS DETAILED & CODED. SQUARE DIRECTION TO FOLLOW VERTICAL.		




Y2 ARCHITECTURE		CALIFORNIA GULLY UPGRADE & MODERNISATION WORKS PROJECT NO: 2119 BAL 29 FIRE RATING	OR APPROVED EQUIVALENT		2.7 MATERIALS & COLOUR SCHEDULE INTERIOR & EXTERIOR ISSUE : PRELIMINARY P		
ITEM	CODE	DESIGN CODE / COLOUR	DISTRIBUTOR / MANUFACTURER	IMAGE	INDICATIVE LOCATION	FIRE GRP	REV
	ALP2	LOCKERGROUP STANDARD PERFORATED PATTERNS (A5) ALUMINIUM CODE: R07962 SHEET SIZE: 5000 X 1500 X 3MM PERF DIAMETER: 9.55MM CENTRES: 7.94MM OPEN AREA: 62% FINISH: POWDERCOATED ALUMINIUM <b>[PC2]</b> CUSTOM MADE; 4 WEEKS LEAD TIME FROM THE DATE OF CONFIRMED SIZES; DRAWING APPROVALS.	LOCKERGROUP TOM TURCIC 0427 535 030 tom.turcic@valmon t.com		EXTERNAL PANELS AS DETAILED & CODED. CIRCLE DIRECTION TO FOLLOW VERTICAL.		
	ALP3	LOCKERGROUP STANDARD PERFORATED PATTERNS (A5) ALUMINIUM CODE: R09551 SHEET SIZE: 2400 X 1200 X 3MM PERF DIAMETER: 4.76MM CENTRES: 6.35MM OPEN AREA: 51% FINISH: POWDERCOATED ALUMINIUM <b>[PC2]</b> CUT FROM STANDARD SHEET, REFER TO DETAILS	LOCKERGROUP TOM TURCIC 0427 535 030 tom.turcic@valmon t.com		EXTERNAL PANELS AS DETAILED & CODED. CIRCLE DIRECTION TO FOLLOW VERTICAL.		
	ALP4	LOCKERGROUP STANDARD PERFORATED PATTERNS (A5) ALUMINIUM CODE: L25440 <b>CODE F</b> SHEET SIZE: 2400 X 1200 X 3MM PERF DIAMETER: 4.76MM CENTRES: 6.35MM OPEN AREA: 40% FINISH: POWDERCOATED ALUMINIUM <b>[PC2]</b> CUT FROM STANDARD SHEET, REFER TO DETAILS	LOCKERGROUP TOM TURCIC 0427 535 030 tom.turcic@valmon t.com		EXTERNAL PANELS AS DETAILED & CODED. FOLLOW CODE F OF SUPPLIERS INSTALLATION GUIDE FOR DIRECTION.		

Y2 ARCHITECTURE		CALIFORNIA GULLY UPGRADE & MODERNISATION WORKS PROJECT NO: 2119 BAL 29 FIRE RATING	OR APPROVED EQUIVALENT		2.7 MATERIALS & COLOUR SCHEDULE INTERIOR & EXTERIOR ISSUE : PRELIMINARY P		
ITEM	CODE	DESIGN CODE / COLOUR	DISTRIBUTOR / MANUFACTURER	IMAGE	INDICATIVE LOCATION	FIRE GRP	REV
BRICKS	BK1	PGH BRICKS RANGE: PURE LINEN COLOUR: <b>FLANNEL GREY TBC</b> EXTRUDED CAVITY BRICK SIZE: 230 X 110 X 76MM MORTAR COLOUR: COLOURED TO MATCH BRICK USE A WHITE BRICKIES SAND MORTAR STYLE: FLUSH	PGH JAMES ALLCHIN JALLCHIN@csr.com .au 0478 363 220		EXTERNAL AS CODED		
BLINDS	BL1	VERTILUX INTERNAL ROLLER BLIND - MANUAL SUNSCREEN FABRIC FABRIC: STATUS 5% TRANSPARENT, COLOUR: PORPHYRY MECHANISM: MANUAL NO 10 SS BALL CHAIN MAXIMUM WIDTH: 3000MM BRACKET COLOUR: TBA BOTTOM RAIL: NATURAL ANODISED FABRIC WARRANTY: 5 YEARS	VERTILUX DEBRA MATHIAS M. 0438 888 407	 PORPHYRY 5%	NOT PART OF CONTRACT TO BE SUPPLIED BY COLLEGE		
CARPET MODULAR	CAR1	INTERFACE MODULAR CARPET: COMPOSURE COLOURS COLOUR: 2483-005-000 <b>INTREPID</b> BACKING STRUCTURE: CUSHIONBAC FACTORY BONDED SIZE: 500 X 500 X 10MM (7+3) INSTALLATION PATTERN: NON DIRECTIONAL, GRID INSTALLATION METHOD: 100% PRESSURE SENSITIVE ADHESIVE, INTERTAC PLUS, FOR CUSHIONBAC INSTALLATIONS WARRANTY: 15 YEAR MADE IN NSW: 3-4 WEEK LEAD TIME	INTERFACE	2483-005-000 Intrepid 	GREATER THAN 100 SQM - FACTORY BONDED CUSHIONBAC REFER TO FLOOR FINISHES PLANS FOR SCOPE & LAYOUT 		









Y2 ARCHITECTURE		CALIFORNIA GULLY UPGRADE & MODERNISATION WORKS PROJECT NO: 2119 BAL 29 FIRE RATING		OR APPROVED EQUIVALENT	2.7 MATERIALS & COLOUR SCHEDULE INTERIOR & EXTERIOR ISSUE : PRELIMINARY P		
ITEM	CODE	DESIGN CODE / COLOUR	DISTRIBUTOR / MANUFACTURER	IMAGE	INDICATIVE LOCATION	FIRE GRP	REV
	CAR2	INTERFACE MODULAR CARPET: COMPOSURE COLOURS COLOUR: 2484-007-000 EUCALYPTUS BACKING STRUCTURE: CUSHIONBAC FACTORY BONDED SIZE: 500 X 500 X 10MM (7+3) INSTALLATION PATTERN: NON DIRECTIONAL, GRID INSTALLATION METHOD: 100% PRESSURE SENSITIVE ADHESIVE, INTERTAC PLUS, FOR CUSHIONBAC INSTALLATIONS WARRANTY: 15 YEAR MADE IN NSW: 3-4 WEEK LEAD TIME	INTERFACE		APPROX 40-60 SQM - FACTORY BONDED CUSHIONBAC BACKING [INTERFACE APPROVED] REFER TO FLOOR FINISHES PLANS FOR SCOPE & LAYOUT 		
CERAMIC TILE	CT1	JOHNSON SPECTRUM WALL TILE COLOUR: WHITE GLOSS SIZE: 197 X 97 X 7.5MM GROUT: ARDEX FG8, COLOUR: <b>CHARRED ASH 287</b> ADHESIVE INSTALLATION 6MM NOTCHED TROWEL 3MM FINISHED ADHESIVE THICKNESS NAT ANODISED ALUMINIUM ANGLE EDGE AS REQUIRED	JOHNSON TILES		INTERNAL WALL, AMENITIES AS CODED TO BE LAID RUNNING VERTICALLY.		








Y2 ARCHITECTURE		CALIFORNIA GULLY UPGRADE & MODERNISATION WORKS PROJECT NO: 2119 BAL 29 FIRE RATING	OR APPROVED EQUIVALENT		2.7 MATERIALS & COLOUR SCHEDULE INTERIOR & EXTERIOR ISSUE : PRELIMINARY P		
ITEM	CODE	DESIGN CODE / COLOUR	DISTRIBUTOR / MANUFACTURER	IMAGE	INDICATIVE LOCATION	FIRE GRP	REV
COLORBOND	COB1	COLORBOND COLOUR: EVENING HAZE	BLUESCOPE STEEL	 EVENING HAZE®	ROOF, FLASHING, CAPPINGS, EAVES GUTTERS: AS CODED.		
	COB2	COLORBOND COLOUR: MONUMENT	BLUESCOPE STEEL	 MONUMENT®	AS CODED.		
	COB3	COLORBOND COLOUR: NIGHT SKY	BLUESCOPE STEEL	 Night Sky®	AS CODED.		
COMPRESSED FIBRE CEMENT SHEET	CFC1	CEMINTEL BARESTONE EXTERNAL COLOUR: NATURAL 9MM THICK x 3000/2400 x 1200MM CEMINSEAL WATER BLOCKING TECHNOLOGY RAW, NATURAL APPEARANCE FIXING: 9MM EXPRESSED JOINS & MECHANICAL FIXING, MATCHING POWDERCOATED RIVETS AT 600MM CRS, BLACK TAPE & BACKING STRIPS VENTILATED FACADE SYSTEM REFER TO CEMINTEL INSTALLATION GUIDE CSR WARRANTY: 25 YEARS DEEMED TO SATISFY EXTERNAL FIRE	CSR ANGELIQUE FORD 0478 362 734 anford@csr.com.au		EXTERNAL SOFFITS AS CODED	NON COMB	










Y2 ARCHITECTURE		CALIFORNIA GULLY UPGRADE & MODERNISATION WORKS PROJECT NO: 2119 BAL 29 FIRE RATING	OR APPROVED EQUIVALENT		2.7 MATERIALS & COLOUR SCHEDULE INTERIOR & EXTERIOR ISSUE : PRELIMINARY P		
ITEM	CODE	DESIGN CODE / COLOUR	DISTRIBUTOR / MANUFACTURER	IMAGE	INDICATIVE LOCATION	FIRE GRP	REV
	CFC2	JAMES HARDIE - COMPRESSED CEMENT SHEET ARCHITECTURAL EXOTEC STANDARD SHEET SIZE: 900/1200 X 2400/2700/3000 X 9MM THICK FACTORY FINISH: SEALER FACTORY CUT EDGES TO REQUIRED SIZES FIXING: COUNTERSINK SCREWS FOR PAINT, WITH EXPRESSED 6/9MM BLACK SHADOWLINE COLORBOND STRIPS BEHIND VENTILATED FACADE SYSTEM PAINTED ON SITE AS SPECIFIED	NIKITAS SMIRNIOS 0466 477 337 13 11 03 NIKITAS.SMIRNIOS @JAMESHARDIE.CO M.AU		EXTERNAL AS CODED.	NON COMB	
	CFC3	VITRAPANEL SATIN PAINT COLOUR (P7) SHEET SIZE: 9MM X 1200 X 2400/3000 LEAD TIME: 3-4 WEEKS WARRANTY 15 YRS LIFE EXPECTANCY: 40 YRS INTERGRATED ANIT GRAFFITI SURFACE FIXING: EXPOSED SCREW FIXING, COLOUR MATCHING 9MM BLACK SHADOWLINE COLORBON STRIP DETAIL	VITRAGROUP JOE BERKELMANS joe@vitragroup.co m		EXTERNAL DECORATIVE ARCHES AS SPECIFIED/COMMUNITY BUILDING. 		
DECKING	DEK1	EKODECK BAL + FLAME FIGHTER COMPOSITE TIMBER FRAME SUPPORT AT 450MM CENTRES HIDDEN FASTENER, QUICKFIX SYSTEM, 3 OR 6MM SPACING TO SUIT COLOUR: SHADOW GREY SIZE: 137 X 23MM MAX. LENGTH 5.4 M WET PENDULUM SLIP RATING: P5, R10 AS 4586:2013 APPENDIX A (INTERTEK TEST) AS 1530.8.1 (2018): BAL A29 (INTERTEK TEST) LEAD TIME: INSTOCK WARRANTY: UP TO 20 YEARS	EKODECK 03 9639 7774 info@ekodeck.com. au		EXTERNAL DECKING AS CODED.	FIRE: BAL A28	








Y2 ARCHITECTURE		CALIFORNIA GULLY UPGRADE & MODERNISATION WORKS PROJECT NO: 2119 BAL 29 FIRE RATING	OR APPROVED EQUIVALENT		2.7 MATERIALS & COLOUR SCHEDULE INTERIOR & EXTERIOR ISSUE : PRELIMINARY P		
ITEM	CODE	DESIGN CODE / COLOUR	DISTRIBUTOR / MANUFACTURER	IMAGE	INDICATIVE LOCATION	FIRE GRP	REV
FLOOR MATT	FM1	STUDIO RIBBED CARPET TILE MATTING COLOUR: CHARCOAL FRAME: INFR08 NATURAL ANODISED ALUMINIUM ANGLE MODULAR TILE: 500 X 500 X 8.5MM INSTALLATION: DIRECTIONAL DIRECT STICK: ALUMINIUM ANGLE FRAME USE LEVELLING COMPOUND AS REQUIRED TO FINISH FLUSH WITH ADJACENT SURFACES	CLASSIC ARCHITECTURAL GROUP 0439 106 008 JERRY MCKECHNIE		FLUSH JUNCTION WITH CARPET TILES, ALUMINIUM ANGLE REQUIRED AT PERIMETER		
GLAZING FILM	GF1	FILM: SX-324 FROSTED SPARKLE AS SHOWN ON ELEVATIONS 150MM CONTINUOUS HORIZONTAL STRIP AS DOCUMENTED SHEET WIDTH: 1219/1524MM	WINDOW ENERGY SOLUTIONS PH 1800 049 747 info@windowenerg ysolutions.com.au		PROTOTYPE SAMPLE TO BE SUBMITTED FOR APPROVAL PRIOR TO MANUFACTURE		









Y2 ARCHITECTURE		CALIFORNIA GULLY UPGRADE & MODERNISATION WORKS PROJECT NO: 2119 BAL 29 FIRE RATING	OR APPROVED EQUIVALENT		2.7 MATERIALS & COLOUR SCHEDULE INTERIOR & EXTERIOR ISSUE : PRELIMINARY P		
ITEM	CODE	DESIGN CODE / COLOUR	DISTRIBUTOR / MANUFACTURER	IMAGE	INDICATIVE LOCATION	FIRE GRP	REV
	GF2	AVERY 900 SELF ADHESIVE VINYL COLOUR: GREY METALLIC 992			STATUTORY SIGNAGE & AS CODED		
	GF3	AVERY 900 SELF ADHESIVE VINYL COLOUR: SILVER METALLIC 990			STATUTORY SIGNAGE & AS CODED		
JOINERY LAMINATE	LAM1	LAMINEX <b>Urban Pezzato Natural</b> 8532 BENCHTOP 2MM X 38MM [ABS1] EDGE MATCHING	LAMINEX		BENCHTOP; JOINERY AS CODED		
	LAM2	LAMINEX RAW BIRCHPLY 8910 NATURAL FINISH 18MM LAMIWOOD 2MM ABS EDGE: <b>SEE ABS1</b>	LAMINEX		UPPER COPBOARDS; JOINERY AS CODED. TOILET DOORS AS CODED.		
	LAM3	LAMINEX TERRIL NATURAL FINISH 2297 18MM LAMIWOOD 2MM MATCHING <b>ABS EDGE MATCHING</b>	LAMINEX		SKIRTINGS; JOINERY AS CODED		
	LAM4	LAMINEX SURF Absolute Matte 7923 18MM LAMIWOOD 2MM ABS EDGE: <b>SEE ABS1</b>	LAMINEX		CUPBOARD FRONTS; JOINERY AS CODED		
	LAM5	LAMINEX BAYLEAF NATURAL COLOUR CODE: 254 18MM LAMIWOOD 2MM ABS EDGE: <b>SEE ABS1</b>	LAMINEX		BOX CUPBOARDS; JOINERY AS CODED		
	LAM6	LAMINEX GREEN SLATE 8793 18MM LAMIWOOD 2MM <b>ABS EDGE MATCHING.</b>	LAMINEX		JOINERY AS CODED.		






Y2 ARCHITECTURE		CALIFORNIA GULLY UPGRADE & MODERNISATION WORKS PROJECT NO: 2119 BAL 29 FIRE RATING	OR APPROVED EQUIVALENT		2.7 MATERIALS & COLOUR SCHEDULE INTERIOR & EXTERIOR ISSUE : PRELIMINARY P		
ITEM	CODE	DESIGN CODE / COLOUR	DISTRIBUTOR / MANUFACTURER	IMAGE	INDICATIVE LOCATION	FIRE GRP	REV
METAL CLADDING	MC1	LYSAGHT PROFILE: SPANDEK 0.48MM BMT EXPOSED FIXING [COB1]	LYSAGHT 1800 641 417 SALES 13 30 38		ROOFING AS CODED		
	MC2	LYSAGHT PROFILE: KLIP-LOK 700 HI STRENGTH, 0.48MM BMT CONCEALED FIXING	LYSAGHT 1800 641 417		ROOFING AS CODED		
	MC3	LYSAGHT PROFILE: ENSEAM COLOUR: MONUMENT	LYSAGHT 1800 641 417		AS CODED		
NOSINGS STAIRS  CONFIRM WITH ARCHITECT PRIOR TO ORDERING	NOS1	EXTERNAL CONCRETE NOSING TREFIX DOMAIN SERIES PROFILE: DKR104 PROFILE COLOUR: NATURAL ANODISED ALUMINIUM INSERT: BLACK CARBORUNDUM INSERT SLIP CLASSIFICATION: P5 30% LUMINANCE CONTRAST REQUIRED	CLASSIC ARCHITECTURAL GROUP 1300 244 377 JERRY MOB 0439 106 008		EXTERNAL STAIRS  	SLIP: P5 WET	
PAVING	PAV1	REFER TO LANDSCAPE ARCHITECTS DOCUMENTS. RANDOM TEXTURE TO ACHIEVE P4 SLIP.			EXTERIOR PAVING AS CODED	SLIP: R11/P4	
	PAV2	REFER TO LANDSCAPE ARCHITECTS DOCUMENTS. RANDOM TEXTURE TO ACHIEVE P4 SLIP.			EXTERIOR PAVING AS CODED	SLIP: R11/P4	
PAINT COLOUR SITE APPLIED  PROVIDE A 500 X 500MM SAMPLE OF EACH COLOUR	P1	DULUX MT ASPIRING SW1E4 LRV: 82	DULUX				

Y2 ARCHITECTURE		CALIFORNIA GULLY UPGRADE & MODERNISATION WORKS PROJECT NO: 2119 BAL 29 FIRE RATING	OR APPROVED EQUIVALENT		2.7 MATERIALS & COLOUR SCHEDULE INTERIOR & EXTERIOR ISSUE : PRELIMINARY P		
ITEM	CODE	DESIGN CODE / COLOUR	DISTRIBUTOR / MANUFACTURER	IMAGE	INDICATIVE LOCATION	FIRE GRP	REV
BOARD OF EACH PAINT SAMPLE FOR APPROVAL 2 WEEKS PRIOR TO COMMENCEMENT	P2	DULUX FLOODED GUM PG2C3	DULUX		ACCENT AS CODED		
	P3	GREY EAGLE SN4E8	DULUX		ACCENT AS CODED		
	P4	DULUX TO MATCH COLORBOND SHALE GREY	DULUX		EXTERNAL TRIM: PVC DOWNPIPES AS CODED		
	P5	DULUX TO MATCH COLORBOND MONUMENT	DULUX		EXTERNAL PLINTH BOARDS & ACCENT AS CODED		
	P6	DULUX TO MATCH COLORBOND NIGHT SKY	DULUX		EXTERNAL AS CODED.		
	P7	DULUX PALE EUCALYPT	DULUX		EXTERNAL DECROATIVE ARCHES AS CODED.		
	P8	DULUX TRANQUIL RETREAT	DULUX		AS CODED.		
	P9	DULUX WIMBOLDON	DULUX		INTERNAL ECNRICHMENT CENTRE AS CODED.		

Y2 ARCHITECTURE		CALIFORNIA GULLY UPGRADE & MODERNISATION WORKS PROJECT NO: 2119 BAL 29 FIRE RATING		OR APPROVED EQUIVALENT		2.7 MATERIALS & COLOUR SCHEDULE INTERIOR & EXTERIOR ISSUE : PRELIMINARY P		
ITEM	CODE	DESIGN CODE / COLOUR	DISTRIBUTOR / MANUFACTURER	IMAGE	INDICATIVE LOCATION	FIRE GRP	REV	
	P10	DULUX WILLOW LEAF	DULUX		AS CODED.			
	GALV	HOT DIP GALVANISING REFER TO STRUCTURAL ENGINEERS DOCUMENTS			ALL EXTERNAL STEEL BALUSTRADES & STRUCTURAL STEEL & STAIRS			
OPERABLE WALL	OP-WALL	OPERABLE WALL FRAMES: PC3 TRACK: WHITE PANEL FACE: PIN1						
POWDERCOATS	PC1	DULUX DURATEC ZEUS STOCK PRODUCT COLOUR: NIGHT SKY 27219268M APPLIED BY A REGISTERED ALUMINIUM APPLICATOR OFFERING A 25 YEAR DURABILITY WARRANTY OFFERING A 15 YEAR COLOUR RETENTION WARRANTY	DULUX		EXTERNAL DOOR/WINDOW FRAMING AS CODED.			
	PC2	DULUX DURATEC ZEUS STOCK PRODUCT COLOUR: SURF MIST 90E1330Z APPLIED BY A REGISTERED ALUMINIUM APPLICATOR OFFERING A 25 YEAR DURABILITY WARRANTY OFFERING A 15 YEAR COLOUR RETENTION WARRANTY	DULUX		EXTERNAL DOOR/WINDOW FRAMING AS CODED.			
	PC3	DULUX DURALLOY RANGE STOCK PRODUCT COLOUR: SURFMIST MATT 2722266M APPLIED BY A REGISTERED ALUMINIUM APPLICATOR OFFERING A 10 YEAR DURABILITY WARRANTY OFFERING A 10 YEAR COLOUR RETENTION WARRANTY	DULUX		INTERNAL ALUMINIUM DOOR/WINDOW FRAMES GENERALLY, UNLESS OTHERWISE CODED SKIRTINGS AS CODED			

Y2 ARCHITECTURE		CALIFORNIA GULLY UPGRADE & MODERNISATION WORKS PROJECT NO: 2119 BAL 29 FIRE RATING	OR APPROVED EQUIVALENT		2.7 MATERIALS & COLOUR SCHEDULE INTERIOR & EXTERIOR ISSUE : PRELIMINARY P		
ITEM	CODE	DESIGN CODE / COLOUR	DISTRIBUTOR / MANUFACTURER	IMAGE	INDICATIVE LOCATION	FIRE GRP	REV
	PC4	DULUX PRECIOUS PEARLESCENT RANGE STOCK PRODUCT COLOUR: PLATERPUSS KINETIC PEARL SATIN 9717214K APPLIED BY A REGISTERED ALUMINIUM APPLICATOR OFFERING A 10 YEAR DURABILITY WARRANTY OFFERING A 10 YEAR COLOUR RETENTION WARRANTY	DULUX		INTERNAL ALUMINIUM DOOR/WINDOW FRAMES GENERALLY, UNLESS OTHERWISE CODED SKIRTINGS AS CODED		
PINBOARD	PIN1	Product name Cube™ Composition 100% polyester fibre Colour: Gherkin Panel dimensions 1220 mm x 2440 mm Tolerance (+ 5 mm) x (+ 10 mm) Thickness 12 mm 24 mm Tolerance (+/- 6%) (+/- 6%)	AUTEX		ENRICHMENT CENTRE AS CODED.		
	PIN2	Product name Composition™ Composition 100% polyester fibre Colour: Jade Roll dimensions 1220 mm x 2500 mm Tolerance (+ 5 mm) x (+ 10 mm) Thickness 10-12 mm	AUTEX		AS CODED.		
	PIN3	Product name Composition™ Composition 100% polyester fibre Colour: Avocado Roll dimensions 1220 mm x 2500 mm Tolerance (+ 5 mm) x (+ 10 mm) Thickness 10-12 mm	AUTEX		AS CODED.		
	PIN4	Product name Composition™ Composition 100% polyester fibre Colour: Koala Roll dimensions 1220 mm x 2500 mm Tolerance (+ 5 mm) x (+ 10 mm) Thickness 10-12 mm	AUTEX		AS CODED.		

Y2 ARCHITECTURE		CALIFORNIA GULLY UPGRADE & MODERNISATION WORKS PROJECT NO: 2119 BAL 29 FIRE RATING		OR APPROVED EQUIVALENT		2.7 MATERIALS & COLOUR SCHEDULE INTERIOR & EXTERIOR ISSUE : PRELIMINARY P	
ITEM	CODE	DESIGN CODE / COLOUR	DISTRIBUTOR / MANUFACTURER	IMAGE	INDICATIVE LOCATION	FIRE GRP	REV
	PIN5	Product name Composition™ Composition 100% polyester fibre Colour: Silver Roll dimensions 1220 mm x 2500 mm Tolerance (+ 5 mm) x (+ 10 mm) Thickness 10-12 mm	AUTEX		AS CODED.		
PLASTERBOARD	PB	13MM STANDARD FLUSH PLASTERBOARD	CSR		WALLS AT HIGH LEVEL CEILING AS CODED		
	PBI	13MM IMPACTCHEK PLASTERBOARD	CSR		WALLS UP TO 2.4M HIGH GENERALLY		
	PBW	WATER RESISTANT PLASTERBOARD 13MM AQUACHEK PLASTERBOARD	CSR		WET AREA WALL & CEILING LININGS AS CODED		
RESILIENT FLOORING	RF1	POLYSAFE VERONA PUR ORIGINAL COLOUR: DOLPHIN GREY CODE: 5203 THICKNESS: 2MM ROLL DIMENSIONS: 2M X 20M SLIP RATING: P3/R10	POLYFLOR		AS CODED: REFER TO FLOOR FINISHES PLAN	SLIP: P3/R10	
	RF2	POLYSAFE QUATTRO COLOUR: <b>SLATE HAZE</b> CODE: 5773 THICKNESS: 2MM ROLL DIMENSIONS: 2M X 20M SLIP RATING: P4/R11/CLASS B	POLYFLOR		AS CODED - REFER TO FLOOR FINISHES PLAN SHOWER BASE	SLIP: P4/R11 CLASS B	

Y2 ARCHITECTURE		CALIFORNIA GULLY UPGRADE & MODERNISATION WORKS PROJECT NO: 2119 BAL 29 FIRE RATING	OR APPROVED EQUIVALENT		2.7 MATERIALS & COLOUR SCHEDULE INTERIOR & EXTERIOR ISSUE : PRELIMINARY P		
ITEM	CODE	DESIGN CODE / COLOUR	DISTRIBUTOR / MANUFACTURER	IMAGE	INDICATIVE LOCATION	FIRE GRP	REV
	RW5	RESILIENT WALL VINYL ARMSTRONG WALLFLEX COLOUR: COOL WHITE SIZE: 2MM THICK X 1.5M X 20M	ARMSTRONG		AS CODED: WALL FINISH		
SKIRTINGS	COV	COVED RESILIENT FLOORING, 100MM HIGH			AMENITIES AS CODED		
	SK1	KDHW TIMBER SKIRTING, TO MATCH EXISTING WITH ANGLED TOP NOM SIZE: 90H X 20MM FINISH: PAINT TO MATCH WALL			SKIRTING AS CODED		
TACTILE INDICATOR	TAC1	COBBLETAC PORCELAIN TACTILE PAVING TYPE: HAZARD STUD COLOUR: BLACK, SLIP: R12 SIZE: 300 X 300 X 10MM + 5MM STUD INSTALLATION: SLAB SET DOWN NOM 20MM FINISHED FLUSH WITH CONCRETE PAVING NOTCHED TROWEL ADHESIVE GROUT: ARDEX F68 MIDNIGHT 202	CTA GROUP PH 1300 282 282		EXTERNAL TACTILE INDICATORS, FLUSH FINISH WITH CONCRETE PAVING		
WHITEBOARD	WB1	E3 CERAMICSTEEL VITREOUS ENAMEL ON STEEL, MAGNETIC WHITE LOW GLARE, LIFETIME WARRANTY, FRAME: V10, 20MM THICK MAX SHEET SIZE: 1200 X 3600MM PROVIDE CONTINUOUS CEM3 PEN LEDGE, CODE: EWB12 WALL MOUNTED, SCREW FIX TO MASONRY & PLASTRBRD REFER TO CARPENTRY SPEC REFER TO INTERNAL ELEVATIONS FOR SIZES	EDUCATIONAL WRITING BOARDS 03 9561 6000		AS CODED ON INTERNAL ELEVATIONS		
	WB2	SURFACE SQUARED, ABET LAMINATI WRITABLE SURFACES 475-LUCIDA 2	SURFACE SQUARED		ACCENT WRITABLE SURFACE LAMINATE: AS CODED		